EVOTECH®
PERFORMANCE

www.evotech-performance.com

Suzuki GSX-S 1000 GT
Radiator Guard

Ⓐ 2 x Push Pin
Ⓑ 6 x Rubber Bungs

EVOTECH®
PERFORMANCE


STORTZ




Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


Repeat
Both Sides


brembo
Repeat
Both Sides



Repeat
Both Sides


Repeat
Both Sides





Locate round holes amongst hexagons.

Push Rubber Spacer through from the back of the guard so Hexagonal shape sits on the front face


brembo

brembo



Ensure radiator guard securely hooks over the top lip of the radiator



Reverse Stages
17 - 1

EVOTECH®
PERFORMANCE

ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that dirt and debris have not become trapped between the guard and the radiator/oil cooler. Such dirt and debris would reduce the cooling efficiency of the radiator/oil cooler.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.

EVOTECH PERFORMANCE

EVOTECH®
PERFORMANCE
www.evotech-performance.com