




EVOTECH®
P E R F O R M A N C E


www.evotech-performance.com


Aprilia Tuareg 660
Crash Protection

Kit Contents PRN015824


- | | |
|--------------------------------|--------------------------|
| Ⓐ 1 x L/H Bracket | Ⓜ 2 x Poly Washer |
| Ⓑ 1 x L/H Spacer | Ⓝ 2 x M12 Washer |
| Ⓒ 1 x M10 x 45 x 1.5 Caphead | Ⓛ 2 x Large Bobbin Heads |
| Ⓓ 1 x M12 x 115 x 1.25 Caphead | |
| Ⓔ 1 x R/H Bracket | |
| Ⓕ 1 x R/H Spacer | |
| Ⓖ 1 x M10 x 35 x 1.5 Caphead | |
| Ⓗ 1 x M12 x 105 x 1.25 Caphead | |
| Ⓘ 2 x M10 x 55 x 1.5 Caphead | |














**Do Not Fully
Tighten**



**Do Not Fully
Tighten**




**Do Not
Fully Tighten**





**Fully Tighten
40Nm**





**Fully Tighten
40Nm**


















Fully Tighten
25Nm











Caution

Do Not Fully
Tighten




**Do Not Fully
Tighten**




Caution

Do Not Fully
Tighten




Caution


Fully Tighten
40Nm





Caution


Fully Tighten
40Nm














Fully Tighten
25Nm



ESSENTIAL CHECKS



It is recommended that periodic inspections are made to ensure that all bolts are tightened to the specified torque settings.

Should the bike be involved in an accident a thorough inspection should be made and any components that have taken an impact, no matter how small, be replaced



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com